



Shop Order

Bristol Fire Department
 Roger French
 1864 Greenville Rd
 Bristol, OH 44402
 330-889-2176
 n/a
 toyman44402

Penn Care, Inc.
 Don Bloom
 1317 North Road
 Niles, OH 44446
 800-392-7233
 330-544-0022
 don@penncare.net

Exp. Date: 11/06/2010

10/11/2010

Quote No: 10044-0002 / Job/Order No: 5646

Page 1

FUNCTION 1	PART NO	S	QTY	DESCRIPTION
			1	== Express Type III - 2010 / 144" Module - 10.900 09/17/10
	00-01-0002		1	GENERAL VEHICLE INFORMATION
				Model Year: 2010 Module Model: Express
				Electrical System: Vmux
				General Chassis Information:
				Chassis Year: 2010 Chassis Model: Ford E-350 D
				Wheelbase: 138" Chassis Custom Quoted? no
				Requested Delivery Date? After 1/25/11
	00-01-0023		1	STS CONTRACT
				This order does specify a STS contract
	00-01-0031		1	NO PERFORMANCE BOND REQUIRED
				No Performance Bond Required
	00-01-0041		1	NO BID BOND REQUIRED
				No Bid Bond Required
	00-01-0052		1	YES REQUIRED DELIVERY DATE
				This unit must be delivered by this date: NOT TO BE DELIVERED BEFORE 1/25/2011.

FUNCTION 1	PART NO	S	QTY	DESCRIPTION
			1	CHASSIS PACKAGES
	00-01-0316		1	TYPE III - AMBULANCE - E-350 68" INTERIOR HEIGHT 2010
	10-01-0004	XS	1	CHASSIS - FORD E-350 CHASSIS, 138" WB, 4 x 2 DRW - DIESEL 2010 Diesel
			1	CHASSIS CONVERSION
	30-25-3104		1	LIGHTS, FRONT GRILLE - (2) WHELEN 500 SUPER LED - RED Two (2) Whelen 500 series Super LED warning lights, with red lenses and waterproof connectors shall be installed in the grille area of the chassis IPOS
	30-27-1112		1	LIGHTS, INTERSECTION FRONT - WHELEN 700 SUPER LED - RED Two (2) Whelen 700 series Super LED warning lights, with red lens, chrome bezels and water-proof connectors, shall be mounted on the front chassis fenders, one (1) on each side IPOS, per dwg. # 3 & # 4.
			1	ELECTRICAL SYSTEM FEATURES
	30-10-0071		1	CAMERA REAR VIEW SINGLE SYSTEM - VISTA III SCREEN Install camera system rear view, tied to M-Tech display screen IATS, per dwg. # 2.
			1	EXTERIOR LIGHTING
	30-25-1005		1	LIGHTBAR, FRONT MODULE - WHELEN 45B88A LED One (1) Whelen 45B88A LED light bar shall be mounted on the front of the module. There shall be eight (8) 700 series red LED lights, and one (1) 700 series center clear LED flashing light incorporated into the lightbar. LED ICC lights shall be mounted on the top of the lightbar IPOS, per dwg. # 1.
	30-26-1004		1	LIGHTBAR, REAR MODULE - WHELEN 45B88R - LED A Whelen 45B88R LED light bar shall be mounted on the rear of the module. There shall be six (6) 700 series red LED lights, one (1) 700 series center amber LED light, and two (2) 700 series halogen scene/load lights IPOS, per dwg. # 2.
	30-26-3002		1	LIGHTS, REAR TAIL - WHELEN 600 LED STOP, TURN, HALOGEN BK-UP One (1) pair each of Whelen 600 series LED stop/tail lights, turn lights, and halogen back-up lights with chrome bezels shall be installed on the rear of the module. (meets SAE) IPOS, per dwg. # 2.
	30-27-3006		1	LIGHTS, SIDE MODULE WARNING - WHELEN 900 LED-RED W/CLR LENS Four (4) Whelen 900 series Red Super LED warning lights with clear lenses and chrome bezels shall be installed, two (2) each module side, outboard of the side module scene lights IPOS, per dwg. # 3 & # 4.

FUNCTION 1	PART NO	S	QTY	DESCRIPTION
			1	MODULE FEATURES / EXTERIOR
			1	MODULE INTERIOR / PATIENT COMPARTMENT FEATURES
	50-10-0551		1	CABINET - LEFT WALL, LOWER #4 Install cabinet #4 IPOS CPR seat, per dwg. # 5.
	50-01-0111		1	CABINET CONSTRUCTION - INTERIOR - ALUMINUM Standard Express aluminum cabinets.
	50-01-0201		1	CABINET DOORS - CLEAR ACRYLIC Clear
	50-05-0106		1	CABINET/ WALLS - POLYCHROMATIC COATING - CAMILLE WHITE Walls, cabinet faces, and cabinet interiors Zolatone color to be Camille White
	50-10-0918		1	COUNTER TOP - ALUMINUM - POLYCHROMATIC SPRAY COATED Zolatone color to be Camille White
	50-60-0840		1	UPHOLSTERY - SPRADLING "ARCTIC" CHARCOAL #9017 All cushions, head pads, door panels and seats shall be covered with Spradling International "Arctic" Charcoal # 9017 expanded vinyl upholstery material.
	50-60-0552		1	LONPLATE II, NON-SLIP EMBOSSED SM. GRID - MICA (GRAY) #421 The floor in the patient compartment shall be covered with Lonseal "Lonplate II" non-slip; small grid (embossed) Mica (gray) #421,
	50-60-0156		1	COT FASTENER - F W #175-3, SINGLE - CENTER POSITION Install FW 175-3 Single position cot mount IPOS. Locate in the center position for a 35A Cot, per dwg. # 9.
			1	PAINT / GRAPHICS
	60-01-0002		1	PAINT MODULE - OEM WHITE Paint module OEM white to match the chassis
			1	KKK / WARRANTIES