



# QUOTATION

Penn Care Inc.  
 Don Bloom  
 1317 North Rd.  
 Niles, OH 44446  
 330-544-0777  
 330-544-0022  
 dbloom@penncare.net

Penn Care  
 Don Bloom  
 1317 North Rd  
 Niles, OHIO 44446  
 3305440777  
 3305440022  
 donb@penncare.net

<b>Sales Rep:</b>  <b>Drawing #:</b> <b>Est. Delivery Date:</b> /    / <b>Customer PO #:</b> <b>Customer #:</b> <b>QPF #:</b>	<b>Terms:</b>  <b>Penalty:</b>
---	--------------------------------------

**Exp. Date:** 05/03/2009      **Job/Order No:** 5476  
**Quote No:** 10013-0003

09/08/2010

PART NO	S	DESCRIPTION	QTY	ID
00-01-0001		== Chief XL Prestige - E450 158" WB-169" Md - 9.600 02/03/0	1	BI
		GENERAL CONDITIONS	1	BI
00-01-0002	< >	<b>GENERAL VEHICLE INFORMATION</b>	1	BI
		CHANGES: Shop Note		
		Model Year: 2009    Module Model: Chief XL		
		Package: Prestige      Electrical System:		
		<b>General Chassis Information:</b>		
		Chassis Year: 2009    Chassis Model: E450		
		Wheelbase: 158      Chassis Custom Quoted? - NO		
		Requested Delivery Date?		
00-01-0052	< >	<b>YES REQUIRED DELIVERY DATE</b>	1	BI

PART NO	S	DESCRIPTION	QTY	ID
		<b>CHANGES:</b> Part Upgraded, Shop Note		
		<b>This unit must be delivered by this date: January 15, 2010</b>		
<b>00-01-0061</b>	<b>U</b>	<b>PURCHASE AGREEMENT</b>	<b>1</b>	
		<b>CHANGES:</b> Specification, Quantity, History, Print on Shop		
00-01-0304	<	TYPE III - WALK-THROUGH AMBULANCE - 72" INTERIOR HEIGHT 2009	1	BI
<b>10-01-0050</b>	<	<b>CHASSIS - FORD E-450SD CHASSIS, 158" WB 4x2 DRW</b> 2009	<b>1</b>	<b>BI</b>
20-00-0101		FUEL TANK - FULL UPON FACTORY RELEASE	1	BI
20-10-0205		BATTERY - TWO SYSTEM - E SERIES CHASSIS	1	BI
20-10-0601		ENGINE BLOCK HEATER - SHORELINE SUPPLIED & SWITCHED	1	BI
<b>20-20-0111</b>	< >	<b>FLOOR CONSOLE, ANGLED FRONT - RECESS STORAGE</b> A black vacuum-formed ABS center floor console with angled front, recessed storage well and two (2) drink holders, shall be installed between the cab seats.	<b>1</b>	<b>BI</b>
20-20-0251		HEAT SHIELDS	1	BI
20-30-0101	<	MIRROR, CONVEX - CAB INTERIOR One (1) 4.25" x 5.75" interior convex mirror shall be installed in the cab.	1	BI
20-30-0201		MIRRORS, EXTERIOR OEM MANUAL TELESCOPING- REMOTE WITH/CONVEX	1	BI
20-30-0802		RUNNING BOARDS WITH GRIP STRUT	1	BI
20-40-0103	<	VALVE EXTENSIONS - AIR MAX-AML-1 Deluxe type Air Max AML-1 valve extensions shall be provided to properly inflate the inner dual rear tires.	1	BI
20-40-0201		WHEEL SIMULATORS, STAINLESS STEEL	1	BI
30-05-0011		ELECTRICAL SYSTEM - WELDON V-MUX, MICRO PROCESSOR BASED	1	BI
30-10-0030	>	BACKUP ALARM	1	BI
30-10-0050		BATTERY CONVERTER	1	BI
<b>30-10-0071</b>	< >	<b>CAMERA REAR VIEW SINGLE SYSTEM - VISTA III SCREEN</b> Install camera system (Audiovox) rear view, tied to M-Tech display screen	<b>1</b>	<b>BI</b>
30-10-0110		ELECTRICAL CIRCUITS	1	BI
30-10-0130	<	ENGINE HOUR METER An engine hour meter shall be provided and installed in the master control console.	1	BI

PART NO	S	DESCRIPTION	QTY	ID
30-10-0190		GROUND FAULT CIRCUIT INTERRUPTER (GFCI)	1	BI
30-10-0254	< >	INVERTER - PREWIRE The vehicle shall be pre-wired to accommodate a Vanner 20-1000TUL.2 1000 watt inverter. The wiring shall run from the power distribution quarters (PDQ) and shall terminate behind the passenger's seat.	1	BI
30-10-0290		LIGHT - ATTENDANT CONTROL PANEL AREA	1	BI
30-10-0310		LIGHT - ELECTRICAL COMPARTMENT (PDQ)	1	BI
30-10-0472		LIGHTS - DOME HALOGEN (10) - MULTIPLEX ELECTRIC SYSTEM	1	BI
30-10-0494		LIGHTS - FLUORESCENT (2) CURBSIDE - ANGLED	1	BI
30-10-0496		LIGHTS - FLUORESCENT (3) STREETSIDE - ANGLED	1	BI
<b>30-10-0529</b>	<b>S &lt; &gt;</b>	<b>OUTLET, 125VAC - ONE (1) INTERIOR DUPLEX OUTLET - IATS</b> <b>CHANGES:</b> Description, Quantity, Special, Shop Note	<b>1</b>	<b>BI</b>
		<b>One 125 VAC hospital-grade duplex outlet shall be installed curbside over the squad bench cabinet IATS, per dwg. # 6</b>		
30-10-0543		OUTLETS, TWO (2) INTERIOR POWERPOINT, 12VDC	1	BI
30-10-0655		RADIO ANTENNA BASES - TWO (2)	1	BI
30-10-0690		REAR SPEAKER FADER CONTROL IN THE OEM RADIO	1	BI
30-10-0722		RECEPTACLE SHORELINE INLET-SUPER 20 AMP, AUTO EJECT	1	BI
<b>30-10-0723</b>	<b>U &lt;</b>	<b>LIGHT, LED INDICATOR - SHORELINE</b> <b>CHANGES:</b> Description, Quantity, Price, Shop Note	<b>1</b>	
		<b>Install a LED shoreline indicator light on module above the Auto Eject inlet, per drawing IATS. Ref. Unit # 5303.</b>		
30-10-0753		SIREN - WHELEN 295-HFSA7-REMOTE WITH MICROPHONE	1	BI
30-10-0809	<	SIREN SPEAKERS, WHELEN SA315EKT- BEHIND THE GRILLE <b>CHANGES:</b> Print on Shop	1	BI
		Whelen dual 100 watt siren speakers shall be installed behind the grille area.		
30-10-0901		SYSTEM ACTIVE AND CHECK OUT LIGHTS <b>CHANGES:</b> Print on Shop	1	BI
30-25-0103		LIGHTS - ICC / LED CLEARANCE - WITH CHROME BEZELS	1	BI
<b>30-25-0201</b>	<b>&lt;</b>	<b>LIGHTS, RUNNING BOARD-WHELEN MINI - LED (1) EACH SIDE</b> <b>CHANGES:</b> Quantity	<b>1</b>	<b>BI</b>
		Light, Running Board - (Whelen) mini LED, one (1) white cluster on each side, IATS		
<b>30-25-1003</b>	<b>S</b>	<b>LIGHTBAR, FRONT - WHELEN DELTA - CAB MOUNTED</b>	<b>1</b>	<b>BI</b>

PART NO	S	DESCRIPTION	QTY	ID
		<b>CHANGES:</b> Price, Special, Print on Shop		
30-25-1003	U <	<b>LIGHTBAR, FRONT - WHELEN FREEDOM LED - CAB MOUNTED</b> <b>CHANGES:</b> Description, Quantity, Shop Note	1	
		Install Whelen Freedom series LED Lightbar on cab roof IPOS. Lightbar to have 8 red LED lights with all clear lenses, per dwg. # 1. Ref. Unit # 5303.		
30-25-3104	S <	<b>LIGHTS, FRONT GRILLE - WHELEN 500 SUPER LED - RED (TOTAL 4)</b> <b>CHANGES:</b> Description, Price, Special, Shop Note, Print on Shop, Alert	1	BI
		Add two (2) red LED grille lights IATS. Total of 4 , per drawing. Ref. Unit 5303. "X" flash pattern.		
30-25-4105	<	LIGHTS, FRONT MODULE WARNING - WHELEN 900 SUPER LED - RED Two (2) Whelen 900 series Super LED warning lights with red lenses and chrome bezels shall be installed on the module front outer corners. A Whelen 700 clear halogen light with a chrome bezel shall be installed centered on the front of the module.	1	BI
30-25-4502	<	<b>LIGHTS, FRONT MODULE TURN SIG - WHELEN 600 LED ARROWS AMBER</b> <b>CHANGES:</b> Quantity	1	BI
		One (1) pair of Whelen 600 LED amber turn arrows in chrome bezels shall be mounted on the front of the module under the warning lights.		
30-26-1004	<	LIGHTBAR, REAR MODULE - WHELEN 45B88R - LED A Whelen 45B88R LED light bar shall be mounted on the rear of the module. There shall be six (6) 700 series red LED lights, one (1) 700 series center amber LED light, and two (2) 700 series halogen scene/load lights.	1	BI
30-26-3002	< >	LIGHTS, REAR TAIL - WHELEN 600 LED STOP, TURN, HALOGEN BK-UP One (1) pair each of Whelen 600 series led stop/tail lights, turn lights, and halogen back-up lights with chrome bezels shall be installed on the rear of the module. (meets SAE)	1	BI
30-26-5004	<	LIGHTS, REAR WINDOW-LEVEL - (2) WHELEN 900 SUPER LED - RED Two (2) Whelen 900 series Super LED warning lights with red lenses and chrome bezels shall be installed on the rear of the module at window level, one (1) on each side.	1	BI
30-26-7002		LIGHT - LICENSE PLATE LED	1	BI
30-27-1110	<	LIGHTS, INTERSECTION FRONT - WHELEN 700 SUPER LED - RED Two (2) Whelen 700 series Super LED warning lights, with red lens and water-proof connectors, shall be mounted, in 15 degree tilt housings on the front chassis fenders, one (1) on each side.	1	BI

PART NO	S	DESCRIPTION	QTY	ID
30-27-2007	<	LIGHTS, SIDE MODULE SCENE - WHELEN 900 HALOGEN - CLEAR (4) Four (4) Whelen 900 series (clear 15 degree optics) halogen scene lights with chrome bezels shall be installed, two (2) each module side, inboard of the warning lights.	1	BI
<b>30-27-3005</b>	<	<b>LIGHTS, SIDE MODULE WARNING - WHELEN 900 SUPER LED-RED</b> Four (4) Whelen 900 series Super LED warning lights with red lenses and chrome bezels shall be installed, two (2) each module side, outboard of the side module scene lights.	1	BI
30-27-4106	<	LIGHTS, INTERSECTION REAR - WHELEN 700 SUPER LED - RED Two (2) Whelen 700 series Super LED warning lights with red lenses, chrome bezels and water-proof connectors, shall be installed above the rear wheel wells, one (1) on each side	1	BI
<b>30-27-4151</b>	<	<b>LIGHTS, ABOVE RUB RAIL- WHELEN LED MINI - 4 EACH SIDE</b> <b>CHANGES:</b> Quantity, Shop Note  Light Package - Whelen Mini-LED lights shall be installed above the rub rail. Four (4) LED's each side, two (2) white LED's and two (2) red LED's equally spaced along the module side, for a total of eight (8) lights, per drawings IATS. (Red-White-Red White on each side)The LED mini clusters shall alternate flash with box warning lights.	1	BI
39-00-0001		MODULE BODY CONSTRUCTION - SEAMLESS	1	BI
39-10-0005		CONNECTIONS, CHASSIS TO MODULE	1	BI
40-00-0001		ALUMINUM PARTS - MODULE EXTERIOR	1	BI
40-00-0010		CORROSION MINIMIZATION - MODULE	1	BI
40-00-0020		DOOR CONSTRUCTION - GASKET PLACEMENT	1	BI
40-00-0030		EXTERIOR COMPARTMENTS DESIGN	1	BI
<b>40-00-0040</b>		<b>EXTERIOR COMPARTMENT - LIGHTING</b>	1	BI
40-00-0050		EXTERIOR COMPARTMENTS, VENTING - ADDITIONAL	1	BI
40-00-0055		EXTERIOR COMPARTMENTS, VENTING - OXYGEN STORAGE	1	BI
40-00-0060		EXTERIOR COMPARTMENTS - SWEEP-OUT	1	BI
40-00-0070		HANDLES, EBERHARD - CHROME FREE FLOATING TYPE	1	BI
40-00-0080		INSULATION - POLYURETHANE SPRAY FOAM	1	BI
40-00-0090		THRESHOLD EXTERIOR STORAGE COMPARTMENT	1	BI
<b>40-01-0004</b>	< >	<b>SHELF (1) ADDITIONAL IN OUTSIDE STORAGE COMPARTMENT</b> <b>CHANGES:</b> Quantity, Shop Note	1	BI

PART NO	S	DESCRIPTION	QTY	ID
		Install one (1) adjustable shelf in OSS # 1 IATS, per dwg. # 3.		
40-01-0005	< >	<b>DIVIDER (1) ADDITIONAL IN OUTSIDE STORAGE COMPARTMENT</b> CHANGES: Quantity, Shop Note	1	BI
		Install one (1) partial height vertical divider in OSS # 1 IATS, per dwg. # 3. Ref. Unit 5303.		
40-01-0106	< >	<b>OUTSIDE STORAGE-#1-O2 CYL. STORAGE- FWD STR. SIDE -NO SHELF</b> CHANGES: Quantity	1	BI
		Oxygen Location - Locate cylinder in OSS #1, includes necessary O2 system and OSS #1 compartment changes.		
40-02-0100		OUTSIDE STORAGE #2 - STREETSIDE CENTER - ONE (1) SHELF	1	BI
40-03-0100		OUTSIDE STORAGE #3 - STREETSIDE REAR - (2) SHELVES & TALL DO	1	BI
40-04-0101	<	<b>OUTSIDE STORAGE #4A BOARD/SCOOP, #4B TWO (2) SHELVES - RT RR</b> CHANGES: Quantity	1	BI
		OSS #4B to be full depth with Inside/Outside access. There will be two (2) adjustable shelves in this compartment.		
40-05-0100		OUTSIDE STORAGE #5 - CURBSIDE FORWARD	1	BI
40-09-0010		BATTERY STORAGE COMPARTMENT WITH SLIDE OUT TRAY - CURBSIDE	1	BI
40-10-0061		DOOR SLIDING - MODULE CURBSIDE PASSAGE	1	BI
40-10-0086		DOORS, REAR PASSAGE	1	BI
40-10-0103		FENDERETTES, BRIGHT FINISH ALUMINUM	1	BI
40-10-0120	<	HOLD-OPEN, REAR DOORS - CPI GRABBERS Cast Products door grabbers (1 pair) with hard rubber inserts shall be installed on the rear doors	1	BI
40-10-0192		LOCKS POWER - PASSAGE, COMPARTMENTS, HIDDEN SWITCH-FOB REMOT	1	BI
40-10-0200		MUD FLAPS, REAR - BLACK REINFORCED RUBBER	1	BI
40-10-0261		REAR STEP/BUMPER -FLIP-UP CENTER SECTION - ANODIZED	1	BI
40-10-0281	<	RUB RAILS, ANODIZED ALUMINUM, 5/8" BLACK REFLECTIVE MATERIAL Bright dip anodized polished aluminum rub rails shall be installed on the lower sides of the body below the outside compartment sill areas. The rub rails shall be offset 3/16" from the body to facilitate wash down of road debris the rub rails shall incorporate a recessed 5/8" wide black reflective scotchlite safety accent stripe.	1	BI
40-10-0320		STEPWELL, CURBSIDE DOORWAY	1	BI
40-10-0340		STONE GUARDS, MODULE FRONT - ANODIZED DIAMOND PLATE	1	BI
40-10-0360		THRESHOLD, REAR DOORWAY - ANODIZED DIAMOND PLATE	1	BI
40-10-0381		TOW LOOPS, MODULE REAR	1	BI
40-10-0402	<	<b>WINDOW, 13" x 32" CURBSIDE FIXED W/SLIDING DRY ERASE BOARD</b> A 13" x 32" non-openable (fixed) tinted window shall be provided on the module curbside, centered between the curbside door and the #4 outside storage compartment. The window, on the patient compartment interior side, shall have split sliding covers that double as dry erase board. The covers shall slide behind the squad bench back pads when in the open position. Two (2) dry erase markers and one (1) eraser shall be shipped loose with the completed ambulance.	1	BI

PART NO	S	DESCRIPTION	QTY	ID
40-10-0505		WINDOWS, PASSAGE DOOR - (CURB SLIDING, REAR FIXED)	1	BI
50-00-0101		AISLE & FLOOR DIMENSIONS - REAR PATIENT COMPARTMENT	1	BI
<b>50-00-0202</b>	< >	<b>ROUNDED INTERIOR CORNERS</b> <b>CHANGES:</b> Shop Note, Print on Shop	<b>1</b>	<b>BI</b>
		<b>2009 Model Year Standard</b>		
<b>50-01-0105</b>	<	<b>CABINET CONSTRUCTION-INTERIOR- CABINET GRADE PLYWOOD</b> <b>CHANGES:</b> Shop Note, Print on Shop	<b>1</b>	<b>BI</b>
		<b>Cabinet grade plywood cabinets. (Standard).</b>		
50-01-0200	<	CABINET DOORS - BRONZE ACRYLIC Bronze	1	BI
50-01-0300		INVENTORY CONTROL SYSTEM	1	BI
<b>50-05-0101</b>	S <	<b>CABINET FACING / WALL LAMINATE - WHITE GLOSS #SW811G</b> <b>CHANGES:</b> Part Upgraded, Description, Special, Shop Note	<b>1</b>	<b>BI</b>
		<b>All exposed side walls, the partition wall (on the patient compartment side only), and the cabinet faces shall be covered with white Gloss #SW811G high pressure plastic laminate material.</b>		
50-10-0122		CABINET - LEFT WALL, UPPER REAR - RESTOCKING HINGE (UP)	1	BI
50-10-0202		CABINET - LEFT WALL, UPPER OVER PANEL- RESTOCKING HINGE (UP)	1	BI
50-10-0226	<	LEFT WALL - ATTENDANT CONTROL PANEL The color micro processor screen shall be installed on a hinged access panel and secured with two (2) locking lever latches. The panel will be located to the immediate right of the attendant's seat.	1	BI
50-10-0301		CABINET - LEFT WALL, UPPER FRONT - RESTOCKING HINGE (UP)	1	BI
50-10-0400		CABINET - LEFT WALL, LOWER REAR - INSIDE/OUTSIDE	1	BI
50-10-0501		CABINET - LEFT WALL, LOWER - UNDER SECOND ACTION AREA	1	BI
50-10-0600		PRIMARY ACTION AREA	1	BI
50-10-0630		SECONDARY ACTION AREA	1	BI
50-10-0701		DRAWER - SLIDE-OUT / WRITING TABLE STREETSIDE INTERIOR	1	BI
50-10-0800		CABINET, BEHIND ATTENDANT SEAT	1	BI
50-10-0814		O2 (D") SLIDE-OUT STORAGE- STREETSIDE - NEAR ATTENDANT SEAT	1	BI
<b>50-10-0915</b>	< >	<b>COUNTER TOP - SOLID ACRYLIC - INDIGO GRANITE (DARK BLUE)</b> <b>CHANGES:</b> Quantity	<b>1</b>	<b>BI</b>
		A Meganite solid acrylic counter top, Indigo Granite (Dark Blue) #736, with a 1/2" lip shall be installed to prevent equipment from sliding off. The solid acrylic counter top shall be provided on both the primary and secondary action area counters,		

PART NO	S	DESCRIPTION	QTY	ID
		fore and aft of the CPR seat.		
50-10-0921	<	<b>COUNTER TOP ACCENT STRIPE - SOLID ACRYLIC - BLANCA GRANITE</b> <b>CHANGES:</b> Quantity	1	BI
		Install Blanca Granite accent stripe.		
50-20-0010		CABINET DOORS - LOWER FRONT WALL - ETCHED ACRYLIC	1	BI
50-20-0253	<	CABINETS - FRONT WALL - WITH HEAT/AC OVERHEAD DUCTED Heat & A/C - ducted unit, overhead, ceiling mounted, center run system, includes heat/ac in upper position w/remaining acrylic flip up cabinet with gas shocks.	1	BI
50-20-0502		<b>PARTITION - CAB TO REAR PATIENT COMPARTMENT</b>	1	BI
50-20-0505		PARTITION DOORWAY - WITH HINGED DOOR	1	BI
50-30-0101	S <	<b>CABINET - RIGHT WALL, REAR WITH (1) DOOR, INSIDE/OUTSIDE</b> <b>CHANGES:</b> Description, Quantity, Special, Shop Note	1	BI
		<b>Make OSS #4 full depth by deleting curbside interior cabinets #1 &amp; #2, per drawings, IPOS. Leave interior door opening and one (1) 30-inch door to create inside/access to exterior compartment.</b>		
50-50-0056		SQUAD BENCH STORAGE	1	BI
50-50-0102	>	ATTN SEAT - EVS HiBAC, INTEGRAL CHILD, SWIVEL BASE	1	BI
50-50-0300		CPR SEAT - FIXED	1	BI
50-50-0503	S <	<b>DRAWER, SHARPS &amp; TRASH - SQUAD BENCH FACE</b> <b>CHANGES:</b> Description, Price, Special, Shop Note, Print on Shop, Alert	1	BI
		<b>Sharps and trash containment shall be provided by a drawer installed in the head end of the squad bench face below the bench cabinet, per drawing IPOS. The drawer shall be equipped with a pull latch. (Deletes the recessed sharps and trash at head of squad bench).</b>		
50-60-0011	< >	<b>ASPIRATOR SYSTEM - IMPACT #324 SELF-CONTAINED - RECESSED</b> An Impact #324 suction system with built-in pump shall be installed in an ABS housing recessed into the street side lower interior wall near the attendant seat.	1	BI
50-60-0030	< >	<b>ASSIST HANDLES, (2) 'V' STAINLESS STEEL, (5) BLACK URETHANE</b> <b>CHANGES:</b> Print on Shop	1	BI
		A total of seven (7) assist handles shall be provided: two (2) 1-1/4" diameter stainless steel 'V' handles, one (1) on each rear passage door; and five (5) 10-7/8" black vulcanized rubber with steel core assist handles, two (2) handles at the rear doorway, two (2) at the curbside doorway, and one (1) on the curbside sliding door.		

PART NO	S	DESCRIPTION	QTY	ID
50-60-0090		CLOCK - 10" DIAMETER, 12/24 HR, ATOMIC QUARTZ - BATTERY	1	BI
<b>50-60-0156</b>	<b>&lt; &gt;</b>	<b>COT FASTENER - F W #175-3, SINGLE - CENTER POSITION</b> <b>CHANGES:</b> Part Upgraded	<b>1</b>	<b>BI</b>
		Install FW 175-3 Single position cot mount IPOS. Locate in the center position.		
50-60-0220		EMBLEMS / SIGNS - REAR PATIENT COMPARTMENT	1	BI
50-60-0251		EXHAUST VENTILATOR, 3-SPEED - MULTIPLEX ELECTRIC SYSTEM	1	BI
50-60-0300		FLOOR CONSTRUCTION- PATIENT COMPARTMENT, NON-WOOD COMPOSITE	1	BI
50-60-0301		FLOORING - COVE	1	BI
50-60-0322		GLOVE BOX (3) DISPENSER - ABOVE ENTRY DOOR - CURBSIDE	1	BI
50-60-0351		GRAB RAILS, 1-1/4" DIAMETER, (96") OVER COT & (64") SQ BENCH	1	BI
50-60-0390		HEADLINER - REAR PATIENT COMPARTMENT	1	BI
50-60-0404		HEAT/AIR CONDITIONING, MANUAL/AUTO SELECT, 10-SPEED BLOWER	1	BI
50-60-0431		I V HANGERS, CEILING RECESSED - CAST PRODUCTS #IV2008-1 (2)	1	BI
<b>50-60-0533</b>	<b>&lt;</b>	<b>LONPLATE I, NON-SLIP EMBOSSED LG. GRID - SAPPHIRE #165</b> <b>CHANGES:</b> Part Upgraded	<b>1</b>	<b>BI</b>
		The floor in the patient compartment shall be covered with Lonseal brand "Lonplate I" non-slip, large grid (embossed) Sapphire #165,		
<b>50-60-0590</b>	<b>S &lt;</b>	<b>NET, SQUAD BENCH - CURBSIDE INTERIOR - DELETED</b> <b>CHANGES:</b> Description, Special, Shop Note, Note, Print on Shop, Alert	<b>1</b>	<b>BI</b>
		Delete the Net at the head of the squad bench IPOS, per dwg. # 6.		
		Reference #SP-99-0004. cls		
50-60-0612		OXYGEN OUTLETS (3) WALL - OHIO MEDICAL TYPE	1	BI
50-60-0640		OXYGEN SYSTEM, ELECTRIC - MULTIPLEX ELECTRIC SYSTEM	1	BI
50-60-0660		PADDED EDGING PROTECTION	1	BI
50-60-0661		PADS, HEAD AND BACK	1	BI
50-60-0680		RADIO SPEAKERS, REAR HEAD PAD (OEM RADIO FADER CONTROL)	1	BI
50-60-0700		SHARPS AND TRASH CONTAINERS - SQUAD BENCH END	1	BI
50-60-0740	<b>&lt;</b>	<b>STAINLESS STEEL DOOR PANELS, LOWER PASSAGE DOORS</b> A stainless steel panel shall be installed on the interior lower portion of each passage door. The top of the stainless steel shall be installed beneath the upholstered door panel.	<b>1</b>	<b>BI</b>
50-60-0760		STAINLESS STEEL WALL PROTECTION - INTERIOR STREETSIDE	1	BI
50-60-0820		TURTLE TILE - SKID-RESISTANT MAT, CURBSIDE STEPWELL	1	BI
<b>50-60-0882</b>	<b>&lt;</b>	<b>UPHOLSTERY- RENAISSANCE - STEEL BLUE #9214</b> <b>CHANGES:</b> Part Upgraded	<b>1</b>	<b>BI</b>
		All cushion, head pads, door panels, and seating surfaces shall be covered with Spradling International "Renaissance" Steel		

PART NO	S	DESCRIPTION	QTY	ID
		Blue # 9214		
60-01-0001		PPG PAINT PROCEDURE	1	BI
<b>60-01-0002</b>	<b>&lt;</b>	<b>PAINT MODULE</b> <b>CHANGES:</b> Shop Note, Print on Shop	<b>1</b>	<b>BI</b>
		<b>White to match the OEM chassis.</b>		
60-01-0003		CLEAR COATING - MODULE PAINT	1	BI
60-01-0004		BUFFING, PAINT	1	BI
60-30-0200		DOOR REFLECTIVITY	1	BI
80-10-0101		KKK-A-1822F COMPLIANCE	1	BI
80-20-0001		VEHICLE MANUALS	1	BI
90-10-0002		WARRANTIES	1	BI
<b>AE-CS-0001</b>	<b>X</b>	<b>MY09 Pricing + 2% As Agreed</b> <b>CHANGES:</b> Quantity	<b>1</b>	
<b>SP-99-0004</b>	<b>U &lt;</b>	<b>CABINET, SQUAD BENCH END - TWO (2) DRAWER UNIT</b> <b>CHANGES:</b> Description, Quantity, Price, Shop Note, Alert	<b>1</b>	
		<b>There shall be a cabinet at the head of the squad bench with a 2- drawer unit facing towards the squad bench, per dwg. # 6 IATS. The counter top shall be solid acrylic-#736 Indigo Granite (Dk. Blue) to match the streetside. Ref. Unit # 5303.</b>		
<b>SP-99-0005</b>	<b>U &lt;</b>	<b>CPR SEAT, INCREASED WIDTH, TWO (2) DRAWER UNIT</b> <b>CHANGES:</b> Description, Quantity, Price, Shop Note	<b>1</b>	
		<b>Increase CPR seat size by 10" and install a two (2) drawer unit facing the CPR seat, with Southco push latches with finger pulls, per drawing IPOS streetside cabinet #6. Ref. 5296 &amp; 5303.</b>		
<b>SP-99-0006</b>	<b>U &lt;</b>	<b>DOORS, FRONT WALL (TOTAL 4)</b> <b>CHANGES:</b> Description, Quantity, Price, Shop Note	<b>1</b>	
		<b>Lower front wall ALS cabinet to have four equal size acrylic doors with locking lever latches, per drawings IPOS.</b>		