

2009 Chief XL I - Braun Industries, Inc.

SUMMARY SPECIFICATIONS

2009 Ford F-450

Overall Length	298.5"			Curb Weight*	11700 lb.
Overall Width	98.0			Front Payload Available*	TBD
Overall Height	110.0			Rear Payload Available*	TBD
Module Length	166.0	G.V.W.R.	16000	Combined (Total) Payload	3300 lb.
Module Interior Height	72.0				
Module Floor Height	33.0				

*Based on Select Package.

Select Prestige

CHASSIS - OEM

AIR BAGS - OEM driver's side and passenger's side air bag	X	X
AIR CONDITIONING - OEM high output fresh air heater & air conditioner system	X	X
ALTERNATOR - Dual 130 amp Ford alternators with internal regulators & rectifiers. (260 Amps Total)	X	X
AMBULANCE PREP PACKAGE -	X	X
BATTERY SYSTEM - Dual battery system rated at 1500 CCA	X	X
BRAKES - Heavy duty on front and rear axle: Four wheel ABS	X	X
BUMPER, FRONT - Chrome front bumper with lower center trim	X	X
CHASSIS - 2008 Ford F-450 Super Duty chassis - 189" wheelbase	X	X
CRUISE CONTROL -	X	X
ENGINE - 6.4 liter direct injected turbo diesel V-8 with block heater.	X	X
FLOOR CONSOLE - OEM center floor console with drink holders and storage	X	X
FRONT AXLE RATING - 7,000 lbs. (6,000 lbs. G.A.W.R.)	X	X
FUEL TANK - Single fuel tank - 40 gallons	X	X
G.V.W.R. - 16,000 lbs	X	X
GAUGES, CHASSIS - Temperature, oil pressure, fuel, voltmeter	X	X
GRILLE - Argent grille insert w/chrome surround	X	X
HIGH IDLE SYSTEM, AUTOMATIC / VOLTAGE MONITOR -	X	X
HORNS - Dual tone electric horns	X	X
LIGHT, DOME - Dual map/reading lights	X	X
MIRROR, EXTERIOR OEM - Manually telescoping w/power adjust and heat	X	X
MIRROR, INTERIOR CAB - Cab interior day/night cab mirror	X	X
POWER WINDOWS AND LOCKS -	X	X
RADIO - OEM AM/FM Stereo radio with single CD and digital clock	X	X
REAR AXLE RATING - 12,000 lbs. (12,000 lbs. G.A.W.R.), 4.3 rear axle ratio	X	X
REAR SPRING RATING - 12,000 lbs.	X	X
SEATS - Dual OEM Deluxe reclining high back captain chairs	X	X
SHOCK ABSORBERS - Heavy duty shock absorbers on front and rear	X	X
STABILIZER BAR - Heavy duty front stabilizer bar	X	X
STEERING - Tilt steering wheel	X	X
TIRE, SPARE - Spare tire, shipped loose	X	X

CHASSIS - OEM

TIRES - (6) 225/70R X 19.5F (12-ply rated) steel belted radial, all season	X	X
TRANSMISSION - 5 speed TorqueShift Automatic overdrive transmission	X	X
TRANSMISSION OIL COOLER - OEM Heavy duty finned auxiliary transmission oil cooler	X	X
TRIM PACKAGE - OEM XLT package	X	X
TRIM, INTERIOR - Medium flint cab interior color.	X	X
WIPERS - Intermittent 2-speed windshield wipers with washer	X	X

CHASSIS CONVERSION

AIR SUSPENSION - with load leveling/load lowering feature	X	X
FUEL - The fuel tank(s) shall be full at time of factory release	X	X
HEAT SHIELDS - Above muffler and exhaust system	X	X
RUNNING BOARDS - Anodized aluminum diamond plate with grip-strut and mud flaps	X	X
VALVE EXTENSIONS - Air Max AML 1 valve extensions	X	X
WHEEL SIMULATORS - Stainless steel wheel simulators	X	X

ELECTRICAL SYSTEMS FEATURES

ALARM, BACKUP -	X	X
ATTENDANT CONTROL PANEL (ACP) -	X	X
CONVERTER / BATTERY CONDITIONER - 45 amp	X	X
GFCI - 20 amp GFCI circuit breaker	X	X
INVERTER PREWIRE - For a Vanner #20-1000-tul.2 ; terminated in exterior compartment OSS #2	X	X
LIGHT, ACP (ATTENDANT CONTROL PANEL) - Light over ACP	X	X
LIGHT, CLEARANCE - ICC - ICC body lights are LED with chrome trim	X	X
LIGHT, DOME - (10) Dual intensity dome lights with 3-way hi & low switching	X	X
LIGHT, DOOR OPEN INDICATOR - Separate "door open" warning lights for entrance & OSS doors	X	X
LIGHT, FLUORESCENT - (5) 12 vdc powered lights in the patient compartment	X	X
LIGHT, OUTSIDE STORAGE (OSS) - Each OSS compartment automatically illuminated	X	X
LIGHT, PDQ - Automatic light in PDQ	X	X
LIGHT, SPOT HAND-HELD - "Blue-eye" 400,000 candle power hand-held spotlight	X	X
LOCKS, POWER DOOR - Electric door for OSS and people doors with keyless entry remote		X
WELDON V-MUX PLUS ELECTRICAL - Multiplex system with Vista III color displays	X	X
MCC (MASTER CONTROL CONSOLE) -	X	X
METER, HOUR - Engine hour meter	X	X
OUTLET, INTERIOR 125 VAC - (3) 125 vac lighted patient compartment outlets	X	X
OUTLET, INTERIOR 12VDC - (2) 12 vdc power point outlets with Schottky diode isolator	X	X
PATIENT STATUS COMMUNICATION - Push button communication to alert Driver's Vista III display	X	X
PDQ (POWER DISTRIBUTION QUARTERS) - V-Mux digital electronic control system		X
RADIO ANTENNA BASE - (2) Antenna bases	X	X
REAR VISION CAMERA - Audiovox rear vision camera on module rear connected to cab Vista display		X
RECEPTACLE, SHORELINE - Kussmaul 20 amp Super auto eject inlet receptacle with circuit interrupt	X	X
SWITCH, BLOCK HEATER - Block heater connected to shoreline with summer/winter switch in PDQ	X	X
SWITCH, EMERGENCY MASTER -	X	X
SWITCH, MCC AND ACP - V-Mux Vista III color display with touch pad switches	X	X
SWITCH, MODULE POWER - With adjustable timer	X	X

EMERGENCY WARNING EQUIPMENT

LIGHT BAR, FRONT - Whelen 45 Series halogen – (4) red rotators, (2) red & (1) center flashers	X	
LIGHT BAR FRONT – Whelen 45 Series LED – (8) 700 series red and (1) clear flashers		X
LIGHT BAR, REAR - Whelen 45 Series halogen - (4) red rotators, (2) red, (1) amber center flashers, & (2) scenes	X	
LIGHT BAR, REAR - Whelen 45 Series LED – (6) 700 red & (1) amber center flashers, & (2) halogen scenes		X
LIGHT, FLASHING HEADLIGHTS - with daytime running lights	X	X
LIGHT, GRILLE - (2) Whelen 500 Series red halogen grill lights in aluminum housings	X	
LIGHT, GRILLE - (2) Whelen 500 Series red Super LED grill lights in aluminum housings		X
LIGHT, INTERSECTION - (2) Whelen 400 Series red halogen	X	
LIGHT, INTERSECTION - (2) Whelen 400 Series red Super LED		X
LIGHT, MODULE SIDE - (4) Dual light sets - (2) each side, consisting of (1) Whelen 900 Series red halogen warning light with chrome bezel & (1) Whelen 900 Series clear halogen scene light with chrome bezel	X	
LIGHT, MODULE SIDE - (4) Dual light sets - (2) each side, consisting of (1) Whelen 900 Series red Super LED warning light with chrome bezel & (1) Whelen 900 Series clear halogen scene light with chrome bezel		X
LIGHT, REAR INTERSECTION - Whelen 700 Series red Super LED with chrome bezels over rear wheel wells		X
LIGHT, REAR WINDOW LEVEL - Whelen 900 Series red Super LED with chrome bezels		X
LIGHT, STOP REAR - Rear centered high mount LED stop light in rear light bar	X	X
LIGHT, TAIL - Whelen 600 series incandescent brake/tail/turn & halogen back-up in chrome bezels	X	
LIGHT, TAIL - Whelen 600 series LED brake / tail /turn, and halogen back-up		X
PARK OVERRIDE -	X	X
SIREN - Whelen 295FHS/A7dual amp remote with microphone	X	X
SPEAKERS, SIREN - Dual 100 watt siren speakers installed in front bumper	X	X

MODULE FEATURES

ANTI-CORROSION PACKAGE - Nylon screw-hole inserts, nylon hinge strips, ceramic coated hinge bolts & Eck spray	X	X
ASSIST HANDLES - (2) "V" stainless steel assist handles and (4) black urethane coated		X
ASSIST HANDLES - (3) "V" stainless steel assist handles and (3) black urethane coated	X	
BODY CONSTRUCTION - SolidBody construction of welded .125" thick 5052-H32 aluminum	X	X
COMPARTMENT, EXTERIOR #1 - (2) Adjustable shelves	X	X
COMPARTMENT, EXTERIOR #2 - (1) Adjustable shelf	X	X
COMPARTMENT, EXTERIOR #3 - Inside/Outside access, (2) adjustable shelves	X	X
COMPARTMENT, EXTERIOR #4 - 4A - Storage for backboards/scoop stretchers, 4B – Oxygen cylinder storage	X	X
COMPARTMENT, EXTERIOR #5 - Inside/Outside access, (2) adjustable shelves	X	X
COMPARTMENT- SWEEP-OUT type design	X	X
COMPARTMENT, EXTERIOR DESIGN - Sprayed with polyurethane material	X	X
CONNECTIONS, MODULE - (12) 5/8" bolts through rubber spacers	X	X
DOOR CONSTRUCTION – Inverted pan with .190" thick exterior door skins with gasket on doors	X	X
DOOR HANDLES – MODULE – Storage and passage doors with chrome Eberhard free-floating design	X	X
DOOR CURBSIDE – Forward hinged door with chrome Eberhard free-floating handle	X	
DOOR CURBSIDE -SLIDING SIDE DOOR - with chrome Eberhard free-floating design handle		X
DOOR CURBSIDE – Forward hinged door with chrome Eberhard free-floating design handle	X	
DOORS, REAR PASSAGE - Hinged with Eberhard Free-floating handles	X	X
FENDERETTES - Anodized polished aluminum module fenderettes	X	X
INSULATION - Nominal 3/4" thick Class 1 fire retardant sprayed urethane insulation	X	X
MATTING, CURBSIDE DOORWAY - Entrance shall have skid resistant gray turtle tile	X	X
MUD FLAPS, REAR -	X	X
PAINT, MODULE - PPG Delta low voc polyurethane with buffed clear-coat to match cab	X	X
RUB RAILS - Anodized polished aluminum rub rails with 5/8" wide black reflective scotchlite	X	X
SCOTCHLITE - 60 sq. inch reflective panel on all hinged passage doors	X	X
THRESHOLDS – Stainless Steel covering on all exterior compartment door jambs	X	X

MODULE FEATURES (Cont.)

STAINLESS STEEL PANELS - On the lower interior portion of each passage door	X	X
STEP, REAR - Anodized aluminum grip-strut with hinged center flip-up section	X	X
STONE GUARDS - Anodized 24" high aluminum diamond plate stone guards on front	X	X
THRESHOLD, REAR - Anodized aluminum diamond plate rear threshold	X	X
TOW LOOPS, REAR - (2) hooks located the in rear step area	X	X
WINDOW, PASSAGE DOORS - (2) fixed rear and (1) openable side with tint	X	X

PATIENT COMPARTMENT FEATURES

SQUAD BENCH NET – Forward end of the squad bench	X	X
ASPIRATOR SYSTEM - Recessed Impact 324 self-contained system	X	X
ATTENDANT SEAT & BASE - Combination adult/child seat on sliding swivel base		X
ATTENDANT SEAT & BASE - High back attendant seat on sliding swivel base	X	
CABINET BEHIND ATTENDANT SEAT - (1) Compartment	X	
CABINET BEHIND ATTENDANT SEAT - (1) Compartment with slide-out tray for (3) "D" cylinders		X
CABINET DOORS - 1/4" thick light bronze acrylic sliding doors with inventory control tag handles	X	X
CABINET FACE - High pressure high gloss plastic laminate	X	X
CABINET, LOWER FRONT WALL - (1) Compartment with inside/outside access and (2) adjustable shelves	X	X
CABINET, STREETSIDE ALS - (4) Compartments with laminated counter tops	X	
CABINET, STREETSIDE ALS - (5) Compartments with restocking frames and Corian counter tops		X
CABINET, UPPER FRONT WALL - (2) Compartments	X	
CABINET, UPPER FRONT WALL - (2) compartments with locking drug storage		X
CLOCK - LaCrosse Technology 10" 12/24 hour battery operated Atomic Clock	X	X
COT FASTENER - Ferno Washington #175-4 two-position, - side and center- for model 35 cots	X	X
CPR SEAT – Fixed with vinyl covered cushions built into streetside cabinetry	X	X
DRAWER, SLIDEOUT WITH TABLE - with hinged plexi writing table, streetside wall by attendant seat	X	X
FLOOR COVERING - Loncoin II single piece flooring, covered streetside and curbside	X	
FLOOR COVERING - Lon-Plate II Mica single piece flooring upgrade, covered streetside and curbside		X
FLOOR CONSTRUCTION – ¾" composite (non-wood) material over .125" thick aluminum	X	X
GLOVE DISPENSER, THREE BOX - (3) glovebox holder mounted above side entry door		X
GRAB RAIL - 96" L One-piece stainless steel ceiling grab rail installed above the cot area	X	X
GRAB RAIL, SQUAD BENCH - 64" L stainless steel ceiling grab rail installed above squad bench		X
HEADLINER - White vinyl clad aluminum patient compartment headliner	X	X
HEATER / AIR CONDITIONER SYSTEM - Climate Controlled High capacity 475 CFM heavy duty heater/air conditioning	X	X
I.V. HANGERS - (2) recessed dual ceiling I.V. hangers	X	X
OXYGEN CYLINDER STORAGE - Storage for (1) "M" or "H" size oxygen cylinder	X	X
OXYGEN SYSTEM, ELECTRIC - Switch, monitor, by-pass, (3) Ohio Med outlets, regulator, & flow-meter	X	X
PARTITION WINDOW - Sliding window access from module to cab	X	X
RADIO SPEAKERS - (2) Stereo speakers in rear head pad with fader control in radio	X	X
SHARPS & TRASH CONTAINERS - Built into forward end of squad bench with spring loaded plexi lid	X	X
SQUAD BENCH BASE - Interior sprayed with sound absorbing polyurethane material	X	X
SQUAD BENCH CUSHION - Cushion area lid with auto-latch and hold-open gas cylinders	X	X
STAINLESS STEEL WALL PROTECTION - Stainless steel wall panel streetside from CPR seat down	X	X
UPHOLSTERY - Heavy duty expanded vinyl	X	X

PATIENT COMPARTMENT FEATURES (Cont.)

SIGNS - (2) No smoking, oxygen equipped, fasten seat belt signs	X	X
VENTILATOR, EXHAUST - Multi-speed	X	X
WALL COVERING, ACCENT STRIPE - Color coordinated laminated inset stripe at streetside counter area		X
WALL COVERINGS - High pressure, high gloss plastic laminate	X	X
WINDOW, CURBSIDE - 12" x 32" window with dry-erase board used as a sliding cover		X

KKK-A-1822F

KKK-A-1822F COMPLIANT -	X	X
-------------------------	---	---