

Revolutionize Your Storage with Flexible, Secure Smart Lockers



Our Versa SmartLocker system provides a versatile dispensing solution that can handle large or bulky items as well as individual asset tracking, check-in and check-out, and package pickup. The dispensing process is secure, with each door individually controlled by durable electronic locks and further certified with real-time reporting. Operate lockers as a standalone unit, group lockers together to create up to 120 bays, or connect lockers to a smart vending machine.

Features



VN Cloud Software Ready
Centralized control and asset tracking



Easy Manual Override
Single key enables access to all lockers



Dependable Security
Mechanical solenoid locks



Durable Structure
Powder-coated 14 gauge steel



LED Bay Lights
Efficient LED lighting illuminates products



Cable Ready
Openings for cables in the back of each bay

Smart Locker Product Specs

Available with 2 to 48 bays. Discover the best smart locker configuration for your business needs.
Optional control door houses peripherals for stand-alone installations.

Versa SmartLocker 18S



18 Bays
Overall Dimensions:
74" H x 39" W x 24" D
Bay Size:
11.5" H x 12" W x 23" D
Door Opening:
10.375" H x 10.375" W

Versa SmartLocker 18V



18 Bays
Overall dimensions:
74" H x 39" W x 24" D
Bay Sizes:
8" H x 12" W x 23" D
12" H x 12" W x 23" D
21" H x 12" W x 23" D
Door Opening:
6.875" H x 10.375" W
10.875" H x 10.375" W
19.875" H x 10.375" W

Versa SmartLocker 18C



Number of Bays: Configurable
Overall Dimensions:
74" H x 39" W x 24" D
Bay Size:
11.5" H x 12" W x 23" D
23" H x 12" W x 23" D
34.5" H x 12" W x 23" D
46.25" H x 12" W x 23" D
57.75" H x 12" W x 23" D
69.5" H x 12" W x 23" D
Door Opening:
10.375" H x 10.375" W
21.875" H x 10.375" W
33.375" H x 10.375" W
45.125" H x 10.375" W
56.625" H x 10.375" W
68.375" H x 10.375" W

Versa SmartLocker 24C



Number of Bays: Configurable
Overall Dimensions:
74" H x 39" W x 24" D
Bay Size:
5.75" H x 12" W x 23" D
11.5" H x 12" W x 23" D
23" H x 12" W x 23" D
34.5 H x 12" W x 23" D
Door Opening:
4.625" H x 10.375" W
10.375" H x 10.375" W
21.875" H x 10.375" W
33.375" H x 10.375" W

Versa SmartLocker 36



36 Bays
Overall Dimensions:
74" H x 39" W x 24" D
Bay Size:
5.75" H x 12" W x 23" D
Door Opening:
4.625" H x 10.375" W

Versa SmartLocker 48



48 Bays
Overall Dimensions:
75" H x 24" W x 26.5" D
Bay Size:
5.75" H x 11.75" W x 12" D
Door Opening:
4.625" H x 10.625" W
Control panel for housing peripherals

Versa SmartLocker 12C



Up to 12 Bays

Number of Bays: Configurable

Overall Dimensions:

74" H x 39" W x 24" D

Bay Size:

11.5" H x 18.125" W x 23" D

23" H x 18.125 W x 23" D

34.5" H x 18.125" W x 23" D

Door Opening:

10.375" H x 16.875" W

21.875" H x 16.875" W

33.375" H x 16.875" W

Versa SmartLocker 2



2 Bays

Overall Dimensions:

74" H x 39" W x 32" D

Bay Size:

34.5" H x 37" W x 31" D

Door Opening:

33.25" H x 35.75" W

Adjustable shelving

Control panel for housing peripherals

Versa SmartLocker 8



8 Bays

Overall Dimensions:

72" H x 39" W x 32" D

Bay Size:

18.25" H x 19.25" W x 31" D

Door Opening:

17" H x 18" W

Adjustable shelving

Control panel for housing peripherals



Designing a Smart Locker Installation


There are hundreds of ways to deploy smart lockers. Configure your smart lockers to work in tandem with a master vending machine, or keep your installation locker-only. As a standalone configuration, our system can handle a bank of lockers with 120 bays. Or, if you add a vending machine, you can configure your lockers with up to 60 bays.



Vending Machine +
Versa SmartLockers 24C + 36

The number of lockers you link together in your installation is **flexible and based on your needs**. If you opt for a standalone locker configuration, you simply need one bay door to contain the brain of your system, which will include the peripherals such as a PIN pad or touchscreen where users interact. Here is just one example of a common locker configuration.

Optional Add-Ons



Scales

Automatically sense the number of items taken or returned to streamline restocking and improve inventory accuracy.



Cellular Modem

Ensure your smart locker system is always connected for real-time updates and tracking with a wireless cellular modem.



Access Peripherals

Offer users access via RFID badge, magnetic stripe, proximity card reader, barcode, PIN, and biometrics. Plus, accept payments via an integrated terminal.



Side-Mount Control Box

Instead of trading a bay to contain the brain of your system, add our new side-mounted control box to any locker unit.



LCD Bay Indicator

LCD display shows prompts and messages such as each item's selection number and inventory count.