



MXP170DFE-Ford
Generic drawings

Table of contents

Disclaimer	3	
General exterior		
Ford F-450 Diesel Engine	4	
Ford F-450 Gasoline Engine	5	
Ford F-550 Diesel Engine	6	
Exterior dimensions	7	
Curbside exterior		
Standard	8	
With options	9	
Custom options available	10	
C1 compartment configurations	11	
C2 compartment configurations	13	
C3 compartment configurations	15	
Streetside exterior		
Standard	19	
With options	20	
Custom options available	21	
S1 compartment configurations	22	
S2 compartment configurations	25	
S3 compartment configurations	29	
Front exterior		
Standard	37	
With options	38	
Custom options available	39	
With additional air conditioning package	40	
Rear exterior		
Standard	41	
With options	42	
Custom options available	43	
Exterior lights package		
Whelen standard series	44	
Whelen M series	45	
Clear lenses	46	
Curbside interior wall		
Squad bench with half height ALS		
4-points safety belt (standard)	47	
4-points safety belt with options	48	
Custom options available	49	
With secondary patient	51	
Squad bench with full height ALS		
4-points safety belt (standard)	52	
4-points safety belt with options	53	
Custom options available	54	
Mobility seat with full height ALS		
4-points safety belt (standard)	55	
4-points safety belt with options	56	
Streetside interior wall		
CPR seat configuration		
4-points safety belt (standard)	57	
4-points safety belt with options	58	
With S3 full height	59	
Custom options available	60	
Full cabinet configuration		
No option selected		62
With options		63
With S3 full height		64
Custom options available		65
Front interior wall		
Standard		67
With options		68
Rear interior wall		
Standard		69
With options		70
Floor view		
Standard		73
With options		74
Custom options available		75
Cot configurations		77
Ceiling view		
Standard		83
With options		84
Custom options available		85
Front cabin console		
Standard		86
With options		87
Rear streetside console		
Standard		89
With options		90
Rear curbside console		
Standard		91
With LCD touchscreen		92
Floor console details		
Standard		93
With options		94

Disclaimers

Demers makes every effort to maintain the highest standards of accuracy and quality in the information provided within these Generic Sale Drawings.

However, despite our best efforts, Demers cannot guarantee and assumes no legal liability or responsibility for the accuracy, completeness, or reliability of the information presented. The content contained in this catalog serves as general guidance only and should not be used as the sole basis for decision-making.

We strongly recommend that you always develop your CPQ quote or sales sheet and submit it to Demers for thorough engineering validation to assess the feasibility of custom options based on the customer's specific configuration requirements. This ensures that all customizations are technically viable and compliant with our manufacturing capabilities.

Should there be any discrepancies between the CPQ configurator, the CPQ quote or sale sheet, and these drawings, the CPQ configurator, CPQ quote, or sale sheet will always take precedence over the drawings provided in this catalog.


Please note that the drawings are subject to modification by our engineering team throughout the construction process of the vehicle, and all dimensional data is provided for informational purposes only and may not reflect the final product specifications.

All content in this catalog, including text, images, and technical data, is copyrighted by Demers and/or the respective manufacturers of our equipment. This catalog, whether in part or whole, may not be altered, reproduced, stored in any retrieval system, or transmitted via any website or social media platform without prior written consent from Demers. Unauthorized use may result in legal action.

Ford F-450 Diesel Engine

Date: 2024-09-27 rev.0
Scale: 1:45
Draftman: BL

Standard CHP-FRD-17
Ford F450 XLT Super Duty Chassis Cab 4 X 4
6,7L POWER STROKE V8 Diesel Engine
Option CHP-FRD-19
Ford F450 XLT Super Duty Chassis Cab 4 X 2
6,7L POWER STROKE V8 Diesel Engine



Ford F-450 Gasoline Engine

Date: 2024-09-27 rev.0
Scale: 1:45
Draftman: BL

Option CHP-FRD-27
Ford F450 XLT Super Duty Chassis Cab 4 X 4
7,3L 2V DEVCT NA PFI V8 Gasoline Engine
Option CHP-FRD-29
Ford F450 XLT Super Duty Chassis Cab 4 X 2
7,3L 2V DEVCT NA PFI V8 Gasoline Engine



Ford F-550 Diesel Engine



Date: 2024-09-27 rev.0
Scale: 1:45
Draftman: BL

Option CHP-FRD-34
Ford F550 XLT Super Duty Chassis Cab 4 X 4
6,7L POWER STROKE V8 Diesel Engine
Option CHP-FRD-35
Ford F550 XLT Super Duty Chassis Cab 4 X 2
6,7L POWER STROKE V8 Diesel Engine





Exterior dimensions

Date: 2024-09-27 rev.0
Scale: 1:45
Draftman: BL



Note

The total height of the vehicle can be different according to chassis and suspensions




Note

The rear loading height of the vehicle can be different according to chassis and suspensions

Curbside exterior - Standard


Date: 2024-09-27 rev.0
 Scale: 1:40
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
C1	29.25" x 88.75"	-
C2	29.25" x 29.25"	32.25" x 24.75" x 19.25"
C3	20.00" x 82.75"	20.75" x 84.25" x 18.50"

Curbside exterior - Options

Date: 2024-09-27 rev.0
 Scale: 1:40
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
C1	29.25" x 88.75"	-
C2	29.25" x 29.25"	32.25" x 29.25" x 19.25"
C3	20.00" x 82.75"	20.75" x 84.25" x 18.50"

Curbside exterior - Custom options

Date: 2024-09-27 rev.0
Scale: 1:40
Draftman: BL

Custom Option CNV-CAM-17
Birdeyes camera with all around the vehicle
Zone Defense, system MUL.360.VSV.HD

Custom Option LGT-FSL-17
Stryker halogen chrome body with
hardwired controller located in front cab
Golight model 3026




Compartment	Opening L x H	Interior dimensions L x H x D
C1	29.25" x 88.75"	-
C2	29.25" x 29.25"	32.25" x 24.75" x 19.25"
C3	20.00" x 82.75"	20.75" x 84.25" x 18.50"

C1 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Standard



Compartment	Opening L x H	Interior dimensions L x H x D
C1	29.25" x 88.75"	-

C1 compartment configurations



Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option


Option MCF-CC1-21
Access door [C1] with flush-mounted opening window

Option GBR-DRS-12 & GBR-COL-11
12" entry grab bar, chrome

Option MCF-CC1-21
Flush-mounted, automotive-style
opening window



Option OXY-SPO-11
Storage for two D oxygen cylinders
with straps and protector



Option OXY-SPO-12
Storage for two E oxygen cylinders
with straps and protector


Compartment	Opening L x H	Interior dimensions L x H x D
C1	29.25" x 88.75"	-

C2 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Standard

Standard MCF-CC2-15
Storage compartment [C2] for batteries
and ALS compartment access



Compartment	Opening L x H	Interior dimensions L x H x D
C1	29.25" x 29.25"	32.25" x 24.75" x 19.25"

C2 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option

Standard MCF-CC2-15
Storage compartment [C2] for batteries
and ALS compartment access



Option CRB-RGT-13
ALS compartment with in/out access, LED lighting
and two adjustable shelves


Compartment	Opening L x H	Interior dimensions L x H x D
C1	29.25" x 29.25"	32.25" x 29.25" x 19.25"

C3 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Standard

Standard MCF-CC3-11 & MCF-CC3-12
Premium adjustable dividers (3)
with retaining belt strap




Compartment	Opening L x H	Interior dimensions L x H x D
C3	20.00" x 82.75"	20.75" x 84.25" x 18.50"

C3 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option

Option MCF-CC3-11 & MCF-CC3-13
Stair chair location with two adjustable shelves
and one full height divider




Compartment	Opening L x H	Interior dimensions L x H x D
C3	20.00" x 82.75"	20.75" x 84.25" x 18.50"

C3 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Custom option

Custom option MCF-CC3-11, MCF-CC3-13 & MCF-CC3-22
Stair chair location with two adjustable shelves,
one full height divider and in/out access door




Compartment	Opening L x H	Interior dimensions L x H x D
C3	20.00" x 82.75"	20.75" x 84.25" x 18.50"

C3 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Custom option


Custom option MCF-CC3-11 & FCT-RGT-25
Storage compartment with divider
below the recessed interior cabinet



Compartment	Opening L x H	Interior dimensions L x H x D
C3	20.00" x 82.75"	20.75" x 84.25" x 18.50"

Streetside exterior - Standard


Date: 2024-09-27 rev.0
 Scale: 1:40
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
S1	20.25" x 71.50"	23.75" x 79.50" x 18.00"
S2	29.25" x 47.00"	32.25" x 47.25" x 13.50"
S3 - Std height	28.50" x 65.50"	33.25" x 42.00" x 17.50"
E	29.25" x 18.50"	-

Streetside exterior - Options


Date: 2024-09-27 rev.0
 Scale: 1:40
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
S1	20.25" x 71.50"	23.75" x 79.50" x 18.00"
S2	29.25" x 47.00"	32.25" x 47.25" x 13.50"
S3 - Full height	28.50" x 65.50"	33.25" x 60.75" x 17.50"
E	29.25" x 18.50"	-

Streetside exterior - Custom options

Date: 2024-09-27 rev.0
 Scale: 1:40
 Draftman: BL




Compartment	Opening L x H	Interior dimensions L x H x D
S1	20.25" x 71.50"	23.75" x 79.50" x 18.00"
S2	29.25" x 47.00"	32.25" x 47.25" x 13.50"
S3 - Std height	28.50" x 65.50"	33.25" x 42.00" x 17.50"
E	29.25" x 18.50"	-

S1 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Standard

Standard MCF-SS1-11 & OXY-SPR-11
Storage compartment [S1] with universal vertical holder
for main oxygen cylinder "K" or "M"




Compartment	Opening L x H	Interior dimensions L x H x D
S1	20.25" x 71.50"	23.75" x 79.50" x 18.00"

S1 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option

Option MCF-SS1-11 & OXY-SPR-12
Storage compartment (S1) with hydraulic holder
for vertical oxygen cylinder "K" or "M"




Compartment	Opening L x H	Interior dimensions L x H x D
S1	20.25" x 71.50"	23.75" x 79.50" x 18.00"

S1 compartment configurations

Date: 2024-09-27 rev.0
 Scale: 1:25
 Draftman: BL


Custom option

Standard MCF-SS1-11 & OXY-SPR-11
 Storage compartment [S1] with universal vertical holder
 for main oxygen cylinder "K" or "M"



Custom option

Standard MCF-SS1-11 & OXY-SPR-11
 Storage compartment [S1] with universal vertical holder
 for main oxygen cylinder "K" or "M"



Compartment	Opening L x H	Interior dimensions L x H x D
S1	20.25" x 71.50"	23.75" x 79.50" x 18.00"


Compartment	Opening L x H	Interior dimensions L x H x D
S1	20.25" x 71.50"	23.75" x 79.50" x 18.00"

S2 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Standard

Standard MCF-SS2-15 & MCF-SS2-12
Storage compartment (S2) with
one adjustable full depth shelf




Compartment	Opening L x H	Interior dimensions L x H x D
S2	29.25" x 47.00"	32.25" x 47.25" x 13.50"

S2 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option

Standard MCF-SS2-15 & MCF-SS2-12
Storage compartment (S2) with
one adjustable full depth shelf




Compartment	Opening L x H	Interior dimensions L x H x D
S2	29.25" x 47.00"	32.25" x 47.25" x 13.50"

S2 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option

Option MCF-SS2-15, MCF-SS2-13 & MCF-SS2-16
Storage compartment [S2] with one adjustable half depth shelf and stair chair holder on door




Compartment	Opening L x H	Interior dimensions L x H x D
S2	29.25" x 47.00"	32.25" x 47.25" x 13.50"

S2 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Custom option

Standard MCF-SS2-15 & MCF-SS2-12
Storage compartment (S2) with
one adjustable full depth shelf




Compartment	Opening L x H	Interior dimensions L x H x D
S2	29.25" x 47.00"	32.25" x 47.25" x 13.50"

S3 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Standard

Standard MCF-SS3-12 & MCF-SS3-13
Storage compartment (S3) with interior/exterior access
and two adjustable full depth shelves




Compartment	Opening L x H	Interior dimensions L x H x D
S3 - Std height	28.50" x 65.50"	33.25" x 42.00" x 17.50"

S3 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option

Option MCF-SS3-12 & MCF-SS3-14
Storage compartment (S3) with interior/exterior access
and reinforcement for spare tire



Compartment	Opening L x H	Interior dimensions L x H x D
S3 - Std height	28.50" x 65.50"	33.25" x 42.00" x 17.50"


S3 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option

Option MCF-SS3-12, MCF-SS3-21 & MCF-SS3-25

Storage compartment [S3] with interior/exterior access,
two adjustable half depth shelves and stair chair holder on door




Compartment	Opening L x H	Interior dimensions L x H x D
S3 - Std height	28.50" x 65.50"	33.25" x 42.00" x 17.50"

S3 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option



Compartment	Opening L x H	Interior dimensions L x H x D
S3 - Std height	28.50" x 65.50"	33.25" x 42.00" x 17.50"



S3 compartment configurations

Date: 2024-09-27 rev.0
 Scale: 1:25
 Draftman: BL

Option

Option MCF-SS3-11 & MCF-SS3-16
 Full height storage compartment [S3]
 with three adjustable full depth shelves



Standard STR-MED-19
 Medical cabinet with CPR seat



Option

Option MCF-SS3-11 & MCF-SS3-16
 Full height storage compartment [S3]
 with three adjustable full depth shelves

Option STR-MED-22
 Medical cabinet with full medical cabinet



Compartment	Opening L x H	Interior dimensions L x H x D
S3 - Full height	28.50" x 65.50"	33.25" x 60.75" x 17.50"

Compartment	Opening L x H	Interior dimensions L x H x D
S3 - Full height	28.50" x 65.50"	33.25" x 60.75" x 17.50"



S3 compartment configurations

Date: 2024-09-27 rev.0
 Scale: 1:25
 Draftman: BL

Option

Option MCF-SS3-11, MCF-SS3-21 & MCF-SS3-25
 Full height storage compartment (S3) with two adjustable half depth shelves and stair chair holder on door


Standard STR-MED-19
 Medical cabinet with CPR seat



Option MCF-SS3-21
 Holder for stair chair, mounted on interior door panel with strap

Standard STR-MED-19
 The cardiac monitor cavity reduces space inside S3 compartment



Option MCF-SS3-25
 Adjustable half depth shelves (2)



Option


Option MCF-SS3-11, MCF-SS3-21 & MCF-SS3-25
 Full height storage compartment (S3) with two adjustable half depth shelves and stair chair holder on door

Option STR-MED-22
 Medical cabinet with full medical cabinet



Option MCF-SS3-21
 Holder for stair chair, mounted on interior door panel with strap

Option MCF-SS3-25
 Adjustable half depth shelves (2)



Compartment	Opening L x H	Interior dimensions L x H x D
S3 - Full height	28.50" x 65.50"	33.25" x 60.75" x 17.50"

Compartment	Opening L x H	Interior dimensions L x H x D
S3 - Full height	28.50" x 65.50"	33.25" x 60.75" x 17.50"

S3 compartment configurations

Date: 2024-09-27 rev.0
 Scale: 1:25
 Draftman: BL


Option

Option MCF-SS3-11 & MCF-SS3-19

Full height storage compartment (S3) with two adjustable full depth shelves and reinforcement/anchors for two S.C.B.A.

Standard STR-MED-19

Medical cabinet with CPR seat




Option

Option MCF-SS3-11 & MCF-SS3-19

Full height storage compartment (S3) with two adjustable full depth shelves and reinforcement/anchors for two S.C.B.A.

Option STR-MED-22

Medical cabinet with full medical cabinet



Compartment	Opening L x H	Interior dimensions L x H x D
S3 - Full height	28.50" x 65.50"	33.25" x 60.75" x 17.50"



Compartment	Opening L x H	Interior dimensions L x H x D
S3 - Full height	28.50" x 65.50"	33.25" x 60.75" x 17.50"

S3 compartment configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Custom option

Standard MCF-SS3-12
Storage compartment (S3)




Custom option MCF-SS3-29 or MCF-SS3-28
Additional adjustable shelf

Custom option MCF-SS3-31
Remove interior/exterior access (block off)

Compartment	Opening L x H	Interior dimensions L x H x D
S3 - Std height	28.50" x 65.50"	33.25" x 42.00" x 17.50"


Front exterior - Standard

Date: 2024-09-27 rev.0
Scale: 1:40
Draftman: BL




Front exterior - Options


Date: 2024-09-27 rev.0
Scale: 1:40
Draftman: BL




Option VFT-CHP-12
High polish finish front bumper with grille guard
Ali Arc, model FDR279




Option LGT-FSL-11
Amber LED arrow turning lights [2]
Whelen 600 series



Option EWL-FWD-17
Red LED emergency lights (6) with red lens
White LED emergency light (1) with clear lens
Whelen 900 series



Option EWL-FWD-13
Red LED emergency lights (6) with red lens
White LED emergency lights (2) with clear lens
76" Whelen 4500 series lightbar
Option EWL-FWD-15
Additional red LED emergency lights (2) with red lens
Whelen 900 series




Option EWL-FWD-23
Red LED emergency lights (10) with red lens
White LED emergency light (2) with clear lens
Whelen 500 series integrated in aerodynamic cabriser
Option EWL-FWD-15
Additional red LED emergency lights (2) with red lens
Whelen 900 series





Front exterior - Custom options

Date: 2024-09-27 rev.0
Scale: 1:40
Draftman: BL



Additional air conditioning package

Date: 2024-09-27 rev.0
Scale: 1:40
Draftman: BL





Custom Option CVC-AUX-11
45000 BTU auxiliary dual in-line condenser installed on front of module. Hoseline, model TMC2007

Custom Option CVC-CLD-13

The condenser and evaporator are tied-in to the OEM air conditioning system, cooling the air of the patient compartment through the ducted outlets

Custom Option CVC-CLD-12

The compressor, condenser and evaporator form an assembly independent of the OEM, cooling the air of the patient compartment through the ducted outlets





Custom Option CVC-AUX-12
60000 BTU auxiliary dual in-line condenser installed on front of module. Hoseline, model TMC2014

Custom Option CVC-CLD-13

The condenser and evaporator are tied-in to the OEM air conditioning system, cooling the air of the patient compartment through the ducted outlets

Custom Option CVC-CLD-12

The compressor, condenser and evaporator form an assembly independent of the OEM, cooling the air of the patient compartment through the ducted outlets



Custom Option CVC-AUX-12
135000 BTU auxiliary condenser installed on top of module. ACC Climate Control, model 25055J001B

Custom Option CVC-CLD-13


The condenser and evaporator are tied-in to the OEM air conditioning system, cooling the air of the patient compartment through the ducted outlets

Custom Option CVC-CLD-12

The compressor, condenser and evaporator form an assembly independent of the OEM, cooling the air of the patient compartment through the ducted outlets

Rear exterior - Standard


Date: 2024-09-27 rev.0
Scale: 1:40
Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
A1 & A2	54.50" x 59.75"	-

Rear exterior - Options


Date: 2024-09-27 rev.0
 Scale: 1:40
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
A1 & A2	54.50" x 59.75"	-

Rear exterior - Custom options

Date: 2024-09-27 rev.0
Scale: 1:40
Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
A1 & A2	54.50" x 59.75"	-

Exterior lights package - Standard series

Date: 2024-09-27 rev.0
Scale: 1:45
Draftman: BL



Exterior lights package - M series

Date: 2024-09-27 rev.0
Scale: 1:45
Draftman: BL




Exterior lights package - Clear lenses

Date: 2024-09-27 rev.0
Scale: 1:45
Draftman: BL



Curbside - Squad bench with half height ALS


Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
Storage cabinet -CA-	32.25" x 8.00"	33.50" x 9.50" x 9.25"
Storage drawer -CB-	-	10.00" x 5.75" x 24.00"
Low ALS comp. -CC-	30.50" x 22.50"	32.25" x 24.75" x 19.25"

Curbside - Squad bench with half height ALS


Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
Storage cabinet -CA-	32.25" x 8.00"	33.50" x 9.50" x 9.25"
Storage drawer -CB-	-	10.00" x 5.75" x 24.00"
Low ALS comp. -CC-	30.50" x 22.50"	32.25" x 24.75" x 19.25"


Curbside - Squad bench with half height ALS

Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL




Curbside - Squad bench with half height ALS

Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL




Curbside - Squad bench with half height ALS

Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL



Curbside - Squad bench with full height ALS


Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
Lockable comp. -CD-	30.50" x 8.00"	31.00" x 8.00" x 13.75"
High ALS comp. -CE-	30.50" x 22.50"	32.25" x 23.75" x 19.25"
Storage drawer -CB-	-	25.75" x 4.50" x 15.00"
Low ALS comp. -CC-	30.50" x 22.50"	32.25" x 24.75" x 19.25"


Curbside - Squad bench with full height ALS

Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL




Curbside - Squad bench with full height ALS

Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL




Curbside - Mobility seat with full height ALS

Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL




Curbside - Mobility seat with full height ALS

Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL



Streetside - CPR seat - Standard


Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
Storage cabinet -SA-	41.50" x 16.00"	42.50" x 16.75" x 16.00"
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage cabinet -SC-	24.00" x 19.25"	25.00" x 20.25" x 16.00"
Storage drawer -SD-	-	12.00" x 4.50" x 12.50"
Storage cabinet -SE-	15.50" x 27.75"	17.00" x 29.00" x 16.50"

Streetside - CPR seat - Options


Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
Storage cabinet -SA-	41.50" x 16.00"	42.50" x 16.75" x 16.00"
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage cabinet -SC-	24.00" x 19.25"	25.00" x 20.25" x 16.00"
Storage drawer -SD-	-	12.00" x 4.50" x 12.50"
Storage cabinet -SE-	15.50" x 27.75"	17.00" x 29.00" x 16.50"

Streetside - CPR seat - With S3 full height

Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL




Option STR-MED-19 and MCF-SS3-11
Medical cabinet with single CPR seat in addition
to a full height storage compartment (S3)

NOTE: The combination of these two options
will reduce the storage capacity inside S3 compartment

Compartment	Opening L x H	Interior dimensions L x H x D
Storage cabinet -SA-	41.50" x 16.00"	42.50" x 16.75" x 16.00"
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage drawer -SD-	-	12.00" x 4.50" x 12.50"
Storage cabinet -SE-	15.50" x 27.75"	17.00" x 29.00" x 16.50"


Streetside - CPR seat - Custom options

Date: 2024-09-27 rev.0
Scale: 1:3
Draftman: BL




Streetside - CPR seat - Custom options

Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL



Streetside - Full cabinet - Standard


Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
Storage cabinet -SF-	37.75" x 16.00"	42.75" x 16.75" x 16.00"
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage cabinet -SG-	41.50" x 19.25"	42.50" x 20.25" x 16.00"
Storage cabinet -SE-	15.50" x 27.75"	17.00" x 29.00" x 16.50"

Streetside - Full cabinet - Options


Date: 2024-09-27 rev.0
 Scale: 1:30
 Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
Storage cabinet -SF-	37.75" x 16.00"	42.75" x 16.75" x 16.00"
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage cabinet -SG-	41.50" x 19.25"	42.50" x 20.25" x 16.00"
Storage cabinet -SE-	15.50" x 27.75"	17.00" x 29.00" x 16.50"

Streetside - Full cabinet - With S3 full height


Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL



Compartment	Opening L x H	Interior dimensions L x H x D
Storage cabinet -SF-	37.75" x 16.00"	42.75" x 16.75" x 16.00"
Storage cabinet -SB-	41.50" x 16.00"	41.75" x 16.25" x 11.00"
Storage cabinet -SE-	15.50" x 27.75"	17.00" x 29.00" x 16.50"


Streetside - Full cabinet - Custom options

Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL




Streetside - Full cabinet - Custom options

Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL




Front wall - Standard

Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL




Front wall - Options

Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL




Rear wall - Standard

Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL




Rear wall - Options


Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL



Option CRB-RGT-13
Full height ALS compartment with
two interior only storage,
one interior/exterior access storage




Option CRB-RGT-11
Full height ALS compartment with
two interior only storage,
one interior/exterior access storage
and one storage drawer




Rear wall - Options

Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL




Rear wall - Options

Date: 2024-09-27 rev.0
Scale: 1:30
Draftman: BL




Floor view - Standard

Date: 2024-09-27 rev.0
 Scale: 1:40
 Draftman: BL




Floor view - Options

Date: 2024-09-27 rev.0
 Scale: 1:40
 Draftman: BL




Floor view - Options

Date: 2024-09-27 rev.0
 Scale: 1:40
 Draftman: BL



Floor view - Options

Date: 2024-09-27 rev.0
 Scale: 1:40
 Draftman: BL



Floor view - Cot configurations


Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Standard

Standard COT-POS-11
Center mount cot configuration

Standard COT-ANC-11
Stryker rolling main cot fastener [cot not included]

Standard COT-ANC-15
Yellow safety hook



Floor view - Cot configurations


Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option

Standard COT-POS-11
Center mount cot configuration

Option COT-ANC-22
Stryker Performance-LOAD floor plate [no cot fastener included]

Option COT-ELE-12
Pre-wiring Inductive Charging Feature




Option

Standard COT-POS-11
Center mount cot configuration

COT-ANC-17
Stryker Performance-LOAD cot fastener [floor plate included]

Option COT-ELE-12
Inductive Charging Feature




Floor view - Cot configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option

Standard COT-POS-11
Center mount cot configuration


Option COT-ANC-30
Stryker Power-LOAD GEN 1 floor plate with pre-wiring
(no cot fastener included)



Option

Standard COT-POS-11
Center mount cot configuration


Option COT-ANC-23
Stryker Power-LOAD GEN 2 floor plate with pre-wiring
(no cot fastener included)



Option

Standard COT-POS-11
Center mount cot configuration

Option COT-ANC-13
Stryker Power-LOAD GEN 2 cot fastener (floor plate included)



Floor view - Cot configurations


Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option

Standard COT-POS-11

Option COT-ANC-12
Ferno main cot fastener (cot not included)

Option COT-ANC-16 Yellow safety hook



Floor view - Cot configurations


Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option

Standard COT-POS-11
Center mount cot configuration

Option COT-ANC-18
Ferno Stat Trac (86") cot fastener


Option COT-ELE-12
Integrated Charging Feature



Custom option

Standard COT-POS-11
Center mount cot configuration

Custom option
Ferno INLINE cot fastener




Floor view - Cot configurations

Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL


Option

Option COT-POS-17
Universal floor configuration
Includes universal anchoring plates for standard positions
No floor cutouts or cot fastener included.




Ceiling view - Standard

Date: 2024-09-27 rev.0
Scale: 1:40
Draftman: BL




Ceiling view - Options

Date: 2024-09-27 rev.0
Scale: 1:40
Draftman: BL



Ceiling view - Options


Date: 2024-09-27 rev.0
Scale: 1:40
Draftman: BL



Front console - Standard

Date: 2024-09-27 rev.0
Scale: 1:3
Draftman: BL

Standard CAB-CTR-19
Front console with 4.3in color
touchscreen controls




Standard WRN-SIR-11
Whelen 295HTSA1 siren amplifier

Front console - Options

Date: 2024-09-27 rev.0
Scale: 1:3
Draftman: BL

Standard CAB-CTR-19
Front console with 4.3in color
touchscreen controls



Custom option WRN-SIR-16
Whelen 295HFS47
dual tone siren amplifier



Custom option WRN-SIR-17
Whelen 295HFSC9
dual tone siren amplifier

Front console - Options

Date: 2024-09-27 rev.0
Scale: 1:40
Draftman: BL

Option CAB-CTR-21
Front console with 7in color
touchscreen controls



Rear streetside console - Standard

Date: 2024-09-27 rev.0
Scale: 1:4
Draftman: BL


Standard CAR-CTR-15
Streetside rear console with
4.3in color touchscreen



Rear streetside console - Options

Date: 2024-09-27 rev.0
Scale: 1:4
Draftman: BL


Option
Streetside rear console with
7in color touchscreen



Rear curbside console

Date: 2024-09-27 rev.0
Scale: 1:3
Draftman: BL


Option CAR-AUX-15
Auxiliary 4.3in color
touchscreen controls



Rear curbside console



Date: 2024-09-27 rev.0
Scale: 1:25
Draftman: BL

Option CAR-AUX-15
Auxiliary 7in color
touchscreen controls





Floor console details - Standard

Date: 2024-09-27 rev.0
Scale: 1:8
Draftman: BL





Floor console details - Options

Date: 2024-09-27 rev.0
Scale: 1:8
Draftman: BL



Floor console details - Options

Date: 2024-09-27 rev.0
Scale: 1:8
Draftman: BL



Floor console details - Options

Date: 2024-09-27 rev.0
Scale: 1:8
Draftman: BL

